




# *Capture 6*







Restorative material

RMGI  
sealing  
liner


Calcium  
hydroxide  
or MTA

Pulp













# *Capture 7*








a




b







a

b








Faciopulpal  
line angle


Mesiofacial  
line angle


Mesiopulpal  
line angle





Distal  
wall

Distolinguopulpal  
point angle











Maxillary incisor, lingual view




Mandibular molar, proximofacial view





Mandibular premolar, lingual view




Mandibular lateral incisor, facial view












a




b



a



b



c

*Sanitaja*



a



b



c



d



e




a




b

10-11




a


*Proctor*



b



a



b




Fig. 10



a



b




c




d

© 1997



a



b

Handy




a


b

c

Handing.



a




b



a

b


c





a




b




Agnes S.








*Santay*











a




b




c




d






a




b








*Santolo*



b




c

a


a





b



c











a

b







Blunt




Correct  
(45-degree bevel)





Steep





















a




b














a




b










Beauty











Round



Inverted cone



Straight fissure



Tapered fissure



Pear-shaped





a




b





a




b

# *Capture 8*







a



b





MAXILLARY




MANDIBULAR




Ivory

REORDER NO. 17236  
6x6 DAM TEMPLATE




Maxillary incisor spot positioned 1" below top of dam




Maxillary




Mandibular
















a



b





c









CLAMP  
MOLAR
















*Quality*

























UPY LR






MAXILLA

























































a


b




c




















# *Capture 9*




- Activation = make initiator (I) radicals:



- Initiation = make monomer (C=C) into radical:








- Propagation = make polymer chains:











- Termination = stop reaction:











































































Polyacrylic acid




Fluoroaluminosilicate glass



### Etching (step 1)




Rinsing  
and  
drying



Chlorhexi-  
dine



### Priming (step 2)



### Bonding (step 3)




a

b

c

## Etching (step 1a)



Rinsing  
and  
drying

## Priming (step 1b)



## Bonding (step 2)







a




b

c

Top view



Side view




Macroshear




Microshear



Macrotensile

Micro-tensile

Push-out







# *Capture 10*








Composite Resin


Brush & Sculpt

Bisco  
MODELING RESIN  
Light-Cured  
CC0459












Proximal view




Proximal view




Mesiodistal section




Proximal view




Mesiodistal section




Facial view




Proximal view





Mesiodistal section




Incisal view




Lingual view








Facial view




Proximal view




Enamel  
bevel to  
1.0 mm


Mesiodistal section




Facial view



Mesiodistal section






Labial view



Labial view





Incisal view






















a

b





































200 SURFACE CHARACTERIZATION

MANDREL EGG FLAME LONG FLAME

FINISHING CARBIDES  
FINAL CONTOURING AND FINISHING

500 POLISHING

EGG LONG FLAME

FINISHING DIAMOND (RED BAND)  
200 SURFACE CHARACTERIZATION



**BRASSLER USA**  
DENTAL INSTRUMENTATION  
800 - 841 - 4522

8168-A

